



Product Data Sheet

TVD-M2-FM

TruVision™ Indoor Dome, Indoor flush mount

Overview

TruVision™ Indoor Dome, Indoor flush mount



Standard Features

- Suitable for the TruVision™ Indoor Dome
- Construction Metal and ABS plastic
-

TVD-M2-FM

TruVision™ Indoor Dome, Indoor flush mount

Specifications

TVD-M2-FM

- Indoor flush mount

Suitable for

- TVD-N210V-2
- TVD-M1210V-2
- TVD-M2210V-2
- TVD-N245V-2

- TVD-M1225V-2
- TVD-M2225V-2
- TVD-M3210V-2
- TVD-M3225V-2
- TVD-M5225V-4

Dimension

- ø210x90 mm

Weight

- 540 g

Construction

- Metal and ABS plastic

Diagram

Ordering Information

TVD-M2-FM - Indoor flush mount





Product Data Sheet

TVD-M2-PNDT

TruVision™ Indoor Dome, indoor pendant mount (56cm)

Overview

Brackets for the TruVision™ Indoor Dome, indoor pendant mount (56cm)



Standard Features

- Suitable for the TruVision Indoor Dome
- Aluminum alloy
- Hollow for cable-free appearance

TVD-M2-PNDT

TruVision™ Indoor Dome, indoor pendant mount (56cm)

Specifications

TVD-M2-PNDT

- Indoor pendant mount (56cm)

Suitable for

- TVD-N210V-2
- TVD-N245V-2
- TVD-M1210V-2
- TVD-M1225V-2
- TVD-M2210V-2
- TVD-M2225V-2
- TVD-M3210V-2
- TVD-M3225V-2
- TVD-M5225V-4

Dimension

- \varnothing 124×567 mm

Weight

- 1360 g

Construction

- Aluminum alloy

Diagram

Ordering Information

TVD-M2-PNDT- Indoor pendant mount (56cm)





Product Data Sheet

TVD-M2-WM

TruVision™ Indoor Dome, Indoor wall mount

Overview

Brackets for the TruVision™ Indoor Dome,
Indoor wall mount



Standard Features

- Suitable for the TruVision™ Indoor Dome
- Aluminum alloy
- Hollow for cable-free appearance

TVD-M2-WM

TruVision™ Indoor Dome, Indoor wall mount

Specifications

TVD-M2-WM

- Indoor wall mount

Suitable for

- TVD-N210V-2
- TVD-M1210V-2
- TVD-M2210V-2
- TVD-N245V-2

- TVD-M1225V-2
- TVD-M2225V-2
- TVD-M3210V-2
- TVD-M3225V-2
- TVD-M5225V-4

Dimension

- $\varnothing 135 \times 182,5 \times 251$ mm

Weight

- 580 g

Construction

- Aluminum alloy

Diagram

Ordering Information

TVD-M2-WM - Indoor Dome, Indoor wall mount





Product Data Sheet

TVD-M2-WEBM

TruVision™ Wedge Dome Electrical box adapter

Overview

TruVision™ Wedge Dome Electrical box adapter



Standard Features

- Suitable for the TruVision Wedge Dome
- For electrical isolation
- Construction ABS plastic

TVD-M2-WEBM

TruVision™ Wedge Dome Electrical box adapter

Specifications

TVD-M2-WEBM

- Electrical box adapter

Suitable for

- TVD-N210W-4
- TVD-M2210W-4

Dimension

- $\varnothing 120 \times 9$ mm

Weight

- 25 g

Construction

- ABS Plastic

Diagram

Ordering Information

TVD-M2-WEBM - Wedge Dome Electrical box adapter





Product Data Sheet

CB140-9005

Wall mount Box Camera Bracket 140mm - RAL 9005 Black

Overview

The CB140-9005 is a RAL 9005 black wall mount, suitable for the TruVision IP box cameras. This version of the ceiling mount complements the black aesthetics of the black IP box cameras.



Standard Features

- TruVision IP box camera wall mount
- Black RAL 9005
- 140mm

CB140-9005

Wall mount Box Camera Bracket 140mm - RAL 9005 Black

Specifications

Main information

- Color Black - RAL 9005
- Measurement 140 mm

Compatibility

- TVC-M1220-1-P
- TVC-M2220-1-P
- TVC-M3220-1-P
- TVC-M5220-1-P
- TVC-N220-1-P
- TVC-N240-1-P

Diagram

Ordering Information

CB140-9005

Wall mount Box Camera Bracket 140mm - RAL 9005 Black





Product Data Sheet

CB190-9005

Wall mount Box Camera Bracket 190mm - RAL 9005 Black

Overview

The CB190-9005 is a RAL 9005 black wall mount, suitable for the TruVision IP box cameras. This version of the ceiling mount complements the black aesthetics of the black IP box cameras.



Standard Features

- TruVision IP box camera wall mount
- Black RAL 9005
- 190mm

CB190-9005

Wall mount Box Camera Bracket 190mm - RAL 9005 Black

Specifications

Main information

- Color Black - RAL 9005
- Measurement 190 mm

Compatibility

- TVC-M1220-1-P
- TVC-M2220-1-P
- TVC-M3220-1-P
- TVC-M5220-1-P
- TVC-N220-1-P
- TVC-N240-1-P

Diagram

Ordering Information

CB190-9005

Wall mount Box Camera Bracket 190mm - RAL 9005 Black





Product Data Sheet

CCB190-9005

Ceiling mount Camera Bracket 190mm - RAL 9005 Black

Overview

The CCB190-9005 is a RAL 9005 black ceiling mount, suitable for the TruVision IP box cameras. This version of the ceiling mount complements the black aesthetics of the black IP box cameras.



Standard Features

- TruVision IP box camera ceiling mount
- Black RAL 9005
- 190mm

CCB190-9005

Ceiling mount Camera Bracket 190mm - RAL 9005 Black

Specifications

Main information

- Color Black - RAL 9005
- Measurement 190 mm

Compatibility

- TVC-M1220-1-P
- TVC-M2220-1-P
- TVC-M3220-1-P
- TVC-M5220-1-P
- TVC-N220-1-P
- TVC-N240-1-P

Diagram

Ordering Information

CCB190-9005

Ceiling mount Camera Bracket 190mm - RAL 9005 Black





Product Data Sheet

DV10x8SR4A-SA1

TruVision box camera 3 and 5 MegaPixel 1/2" 8-80mm, D/N

The range of lenses supplied by UTC Fire & Security, are manufactured by Fujinon, a widely respected Japanese specialist lens manufacturer. The range of lenses give a choice of lens products which are of the highest possible optical quality while still representing excellent value for money



Standard Features

- Suitable for the TruVision™ 3.0 MPx and 5MPx Gen2
- Excellent optical properties
- Made by Fujinon
- Highest quality manufacturing
- Reliable
- Day / Night
-

DV10x8SR4A-SA1

TruVision box camera 3 and 5 MegaPixel 1/2" 8-80mm, D/N

Specifications

Suitable for

- TVC-M3220-1
- TVC-M5220-1

Focal length

- 8 to 80 mm

Iris range

- F1.6 to T360

Iris operation

- Auto

Focus operation

- Manual

Zoom operation

- Manual

Angle of view

- 44°33' x 34°58' (wide 1/2 format)

Angle of view

- 4°42' x 3°32' (tele 1/2 format)

Focussing range

- 1.5 m to infinity

Mount

- C mount

Weight

- 180 g

Current consumption

- 23 mA (max.) at 4 VDC

Diagram

Ordering Information

DV10x8SR4A-SA1

TruVision box camera 3 and 5 MegaPixel 1/2" 8-80mm, D/N,
Vari-Focal lenses, auto iris, DC, F1.6-F360





Product Data Sheet

DV3.8x4SR4A-SA1

TruVision box camera 3 and 5 MegaPixel 1/2" 4- 15.2mm, D/N

The range of lenses supplied by UTC Fire & Security, are manufactured by Fujinon, a widely respected Japanese specialist lens manufacturer. The range of lenses give a choice of lens products which are of the highest possible optical quality while still representing excellent value for money



Standard Features

- Suitable for the TruVision™ 3.0 MPx and 5MPx Gen2
- Excellent optical properties
- Made by Fujinon
- Highest quality manufacturing
- Reliable
- Day / Night
-

DV3.8x4SR4A-SA1

TruVision box camera 3 and 5 MegaPixel 1/2" 4- 15.2mm, D/N

Specifications

Suitable for

- TVC-M3220-1
- TVC-M5220-1

Focal length

- 4 to 15.2 mm

Iris range

- F1.5 to T360

Iris operation

- Auto

Focus operation

- Manual

Zoom operation

- Manual

Angle of view

- 92°42' x 69°08' (wide 1/2 format)

Angle of view

- 24°38' x 18°29' (tele 1/2 format)

Focussing range

- 0.3 m to infinity

Mount

- C mount

Weight

- 120 g

Current consumption

- 23 mA (max.) at 4 VDC

Diagram

Ordering Information

DV3.8X4SR4A-SA1 - 1/2" 4- 15.2mm, D/N

